




ROOF EXHAUST FAN, UP BLAST, BELT DRIVEN



www.supplyworldco.com



info@supplyworldco.com



+960538069105

رقم السجل التجاري : 1010820008

الرياض - الملز - طريق عمر بن عبد العزيز



Brief Description

Base frame with bolts for tightening of inlet accessories and rectangular inlet cone made from galvanized steel. Rain hood up to size 500 made from seawater resistant aluminium. Motor supporting plate with integrated protection guard made from plastic coa

FAN Technical Data

Model Name	DVW-560-1.5-B
Air Volume (cfm)	4000
Static/Total Pressure (in Wg)	1.4/1.43
Dynamic Pressure (in Wg)	0.03
Outlet Velocity (m/s)	7.66
Static/Total Efficiency	57/58
Fan Speed (rpm)	1064

Accessories

Motor Technical Data

Grease Trap (Kitchen Fan)

Motor Power (kW)	1.5
Motor Speed (rpm)	1725
Power Supply	380V/3/60Hz

Sound Data

Hz	63	125	250	500	1000	2000	4000	8000	Total
LwA (dBA)	65	72	82	87	89	88	82	78	94



www.supplyworldco.com

info@supplyworldco.com


+960538069105

رقم السجل التجاري : 1010820008

الرياض - الملز - طريق عمر بن عبد العزيز




Fan Performance Curve



Fan Drawing & Dimensions

Dimension in mm



www.supplyworldco.com



info@supplyworldco.com



+960538069105

رقم السجل التجاري : 1010820008



الرياض - الملز - طريق عمر بن عبد العزيز