

DUMECH VENTILATION EQUIPMENTS MANUFACTURING CO. LLC



DATA SHEET

MODEL : D-ARD-BC-5.5-1160/7250-600





DESCRIPTION	UNIT	VALUE		
Flow Rate	(CFM / LPS)	7250 / 3421		
ESP	(Pa)	600		
Working Temp.	(Deg.Cel)	50		
Motor Rating	(HP / kW)	7.5 / 5.5		
Pole		6 P		
Volt/Phase		400V /3 Ph		
Frequency	(Hz)	60		
Operating Speed	(Rpm)	1160		
Motor Make, Origin		PYTHON		
Blade		Backward Curved		
BHP (NTP)	(HP / kW) 4.48 / 3.36			
dB(A)	(dB)	81.37		
Drive		Direct Driven		
Protection		IP 55		
Insulation	Class	F		
Efficiency		IE3		
Vibration Amplitude (Normal)	(mil)	2.47		

Material Specs:

Casing & Blades (Thk)	3 mm.
Casing (MOC)	Mild Steel
Impellor (MOC)	Mild Steel
Coating	Powder Coated (RAL 7035)
Total Weight (Kgs)	208

Included Accessories:

Drain plug, Inspection door, Motor Cover.

Optional Accessories:

VFD, Volume control damper, Sound attenuator, Bird mesh, Motorized damper, Ex. Motors

Warranty:

Dumech warrants this equipment from material defect and workmanship for a period of one year from the delivery date or shipment date. Any parts proven to be defective in this span of time will be replaced at our cost.

Motors equipped with our units are warranted by the motor manufacturer for a period of one year. Replacement or Re-conditioning of motors shall be done based on availability of stock at our cost (with in the warranty period).

Application:

- 1. Ventilation System.
- 2. Fume extraction system.

Discharge Positions:





*All Drawings are subjected to change without prior notice.

Overall fan dimensions:

Α	E	В	W	L	D	Ν	Μ
380	50	650	1052	1240	590	344	800

Performance curve:





We Drive air in your way!



HEAD OFFICE

Ware House No.5, Industrial Area, Al Quoze 4 Tel : 04 3474929 , Fax : 04 3474917 , P.O. Box:49771, Dubai - UAE E-mail:dumech@eim.ae, Web :www.dumech.com



BRANCH Ware House No.3, Industrial Area, Al Quoze 3 Tel : 04 3474929 , Fax : 04 3474917



BRANCH Al Sulay Industyrial Area, Riyadh, Saudi Arabia

